



Certificate of constancy of performance K76875/02



Issued 2021-06-15 Replaces K76875/01
First issued 2018-06-29 Page 1 of 2

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

NOFIRNO

Scope of certificate: Fire stopping and fire sealing products - Penetration seals
placed on the market under the name or trademark of

BEELE ENGINEERING B.V.

and produced in the manufacturing plant(s)

Beele Manufacturing B.V. - Aalten

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

ETA 13/0153, issued on 12/03/2021

EAD 350454-00-1104 Fire stopping and fire sealing products - Penetration seals

under system 1 for the performances set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 29 June 2018 and will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Manufacturer

BEELE ENGINEERING B.V.
Beunkdijk 11
7122 NZ Aalten
Tel. 0543-461629
info@beelee.com
www.beelee.com

Manufacturing plant

Beele Manufacturing B.V.
Vierde Broekdijk 12 - 14
7122 JD Aalten
Tel. 0543-461629
info@beelee.com
www.beelee.com

Notified Body No. 0063



NOFIRNO**SEALING SYSTEM FOR FIRE SAFE WALL AND FLOOR PIPE AND CABLE PENETRATIONS.**

Harmonized standard	Identification and intended use	Construction product parameters	CE marking method	Other characteristics
EAD 350454-00-1104 Fire stopping and fire sealing products - Penetration seals	For fire compartmentation and/or fire protection or fire performance	Category type X: intended for use at conditions exposed to weathering. This includes use at external and internal conditions, temperatures below 0 °C, exposure to UV and exposure to rain.	Labeling on the packaging	See ETA 13/0153, issued on 12/03/2021